

DOLOMITICERT SCARL

Authority for the certification of personal protective equipment

Zona Industriale Villanova, 7/A

32013 Longarone (BL) Italy
Tel.: ++39 437 573407 Fax: ++39 437 573131
E-Mail: info@dolomiticert.it
Web: www.dolomiticert.it



PRD H* 1468
Membro degli accord di Nutrio Riconoscimento
EA, 14P, e ILAC
Signatory ef EA, 1AP, and ILAC
Methal Recognition Agreements

EU TYPE-EXAMINATION CERTIFICATE

n. EC:

23-0276

In realisation of the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9th of March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC.

DOLOMITICERT SCARL

authorised by the Ministry of Economic Development and by the Ministry of Labour and Social Policies with the decree issued in date 11th March 2021 NOTIFIED BODY IDENTIFICATION NUMBER: 2008

considered the application for EU type-examination no.

230371

, presented in date

21/11/2023

CERTIFIES THAT

the following personal protective equipment model

Protective footwear for motorcycle riders

Boot ADV HydraDri 7.5

presented by

LEATT® CORPORATION (South Africa)

No. 12 Kiepersol Crescent, Atlas Gardens - 7550 Durbanville Cape Town - South Africa

results to be in conformity with the applicable essential requirements included into Annex II of the Regulation (EU) 2016/425 dated 9th of March 2016.

The description of the personal protective equipment model, the normative reference, the verification results and the description of the CE marking on the equipment are described on page 2. 3.4 of the present document.

First issue date:

01/12/2023

Renewal or revision date:

1

The Director of the Notified Body

Expiration date:

30/11/2028

(Luca Tamburlin)

Longarone,

01/12/2023

This document consists of no. 4 numbered pages.

A 2068

1. Description of the Personal Protective Equipment

Type of PPE:

Protective footwear for motorcycle riders

Reference Standard:

EN 13634:2017 - "Protective footwear for motorcycle riders -

Requirements and test methods"

Footwear size: EU 44.5 EU 48 EU 40.5 310 320 365 Footwear length (mm): 105 110 120 Footwear width (mm): 350 380 395 Footwear height (mm): 1150 1260 1420 Footwear weight - Half pair (g):

Product designation:

Boot ADV HydraDri 7.5

Variants:

Two colour variants provided: "Boot ADV HydraDri 7.5 Stealth" (colour

black) and "Boot ADV HydraDri 7.5 Desert" (colour brown).

Trade mark:

LEATT

PPE category:

11

PPE description and notes:

For footwear components description refer to the picture below.

The protective footwear for motorcycles riders' model "Boot ADV HydraDri 7.5" is provided in the following sizes: 40.5-42-43-44.5-45.5-47-48 (European sizes) or 7-8-9-10-11-12-13 (United States sizes). This device is closed in the lateral external part by means of two buckles, equipped with a micrometric regulation, and a Velcro strap. This footwear is specifically designed for motorcycle and motocross

activities.

Manufacturer's name:

LEATT® CORPORATION (South Africa)

Manufacturer's address:

No. 12 Kiepersol Crescent, Atlas Gardens - 7550 Durbanville Cape Town - South Africa

Authorised Representative's name:

Authorised Representative's address:

Certificate's holder:

LEATT® CORPORATION (South Africa)

Holder's address:

No. 12 Kiepersol Crescent, Atlas Gardens - 7550 Durbanville Cape Town - South Africa



Root	ADV	Hydrai	Dri 7	5 81	ealth	

MATERIAL		CHEMOMENT	50759254	NATESTAL PRESIDENT	COLOR VDRSIDA	
	SPHE.			MY LEADY BAS MODERN	Desert	Straith
ī	MINPER	Inner panel	1.6-2.0mm Mater Proof	5000 Leating	Brown.	Mack
	PU#22	isteral rain	1.6-2.6em Heter Proof	SMS Leather	Braue.	Sleek
ı	9196.50	Buck counter frace	1.8-2.8m Mater Proof	1905 Leather	Brown	ülecü
М	NUMP28	Back calf frame	1.6-2.0m Heter Proof	SME Leather	Brown	Sleck
8	516726	Shire Flate from:	1.8-2.8em Major Proof	1905 Leather	Brown	Black
ı	UP96 03	Inner Parel	t.6mm Hicrofiber	ASS Bylana 35%	6Jeck	Dlack
ı	U2HF83	Sear Salley	1.6mm Hicrofiber	665 Aylon-158	Brown	Sleck
ı	UPW Bit	tullar	1. Non Rücmofüher Saded	684 Rylon-155	Brown	Mack
ı	1,000,007	Front Dellow	1.2mm Super fiber pu	Set. replanated	Black	Black
ı	1895.87	Diver Sellow	1.2m Super filter pu	50% NyJer+528	gűszk.	Black
ı	LEPURTS.	isteral sellos	31831 pa 9.789+1.5mm	MIN PRIVATE Pulyesher	Black	black
ı	857025	fack ratles	34 meties Fil- papping	30% glass beads + 10 %	Silver	Slack
Į	LEFTERM	Linder Front Bellow	Sings FO B.7 em	59% PET-50% Polyenter	Bleck	Black
ı	UPPU07H	Under Inner Sellow	Siegs PU 0.7 mm	NOS PET-MOS Pulyetter	63 acti	Slect
ı	LETURIN	Briter Rear Relling	31-31 PH 6.7 NO	50% PET-50% Polyester	stack.	where
ĺ	LELAD	Under Lateral	2100 adhestive	SME Polyester	Block	Black
ı	VIPUIZ	Timp Insert	1. 2mp pu	SON PET-SON Polyester	Black	Black
ı	LEFTHER	ranp	Siego pu P. 76	50% PE7+50% Pelyester	Büeck	black
ı	UPPU97H	Valore Loop	Wellero Logo	port often riber	Black	Black
ļ	LP NYS	Velora Haats -1	Welgra USA Slightlock flock	100% Sylon	Mark.	Blace
ı	LPSVL	Valors Hook -3	welche die Sligwlack work	Seed: Aylon	Bhack	Sieck
ı	L DisPrisa	Inner Liebng	741h(50-	seed Polyecter	PLACE	86,400
ı	1.034994	Outer Lining	mesh(SC-	1885 Polyester	81.826	B4.60%
ı	L Departs	wamp Living	resh(sc-	3805 Privester	BLACK	BLACK
Į	1,0454	Coller Lining	mesh(17276)+4emfoan+26g	soft Folgetter	PLACE	N. ACK
	84755	Front Se)2ou	See PE-10em KIT TOAH	1865 Polyarethane	BLBCK	84.600
L	PAPEL	tear Bellio padding	See Pt +32mm SFF FD45	3884 Polyanethane	BLACK	64,900
ł	PAPLS	Lateral Sallow	15em off Fdwy	1885 Polyarethane	BLACK	BLACK
ı	PARIS	Drover Sellies	15mm OFF FOAR	1824 Polyunethane	BLESS	BLECK
	9.61054	Callar pedding	Som Eab+don Food	1882 Philyanethage	BLACK	BLACK
J	25465	Arkle padding	See 70 7044	dddh Polyanethane	PLACE	84,400
casonies	FSPPU	5hde Guard	THU BAYER 55-68 SHOPE 5	:66% TPu	Describble at Describing Iron	Dosert:Nin
ı	PSPRU	Ankle Protector	THU BYFER 45-50 SHORE A	1005 770	BLACK	BLACK.
ı	PSRRU	Down System Tongue	TPS BASP 55-62 SHORE D	1965 170	BLACK	81,400
ı	PSPFU	Botton Name Strap	THE MARK STARS SHORE D	1065 720	BLACK	BLACK
ı	PSROT	Outer Buckle Hidden	PAG (Nylen)	1885 A56	FLACK	SLACK
ı	817326	Subber Petals	Bubber 75:504	188% Fabber	BLACK	BLACK
ı	#29ASS	Toe Rubber Eand	Fabber 58-55 Share A	1962 Pather	BLACK	BLACK
ı	винятом	SSuchide (SSH SSHE)HERRI AVA	PON 5007- metal are	1665 7434	enodized	#LACE/gold
۱	PSROT	Strep reseaver	PAG (Hylen)	1980. 555	FLACK	ELACK.
	PSSPU	Strap slik 5-129 re	THU straig a PASS control bar	50% 19U + 56% PME	Ser: 0.ACE	Ber:0:ACE
١	Miter	Midsabe	Pa (hardonse 39)	180% Ptr	Itine Iron	Mire from
	56/80	Cotrole	9.664: 75A/654	166% Autter	Black /intert	wlack /traes yellow
١	1484	squesting incols	350 PF	1861 77	STITM	MIN
	2500	Stark	bider steel	189K Jess	BLACK:	NUMBER OF STREET
١	REFEVA:	Footbed	5V4 95x/- 2 shart c	LOCA EVA	7546C	3545C

2. Levels of protection offered by the personal protective equipment

Applicable Standards:

EN 13634:2017 "Protective footwear for motorcycles riders - Requirements and test methods" /

The protection equipment Boot ADV HydraDri 7.5

is in conformity with the basical requirements provided by the standard(s) of reference for the particular fields of utilization the device is addressed to.

EN 13634:2017 and /

Moreover, the protection equipment is in conformity with the specific requirements provided by the connected norm for the particular fields of utilization the device is addressed to:

The performance characteristics of the protection equipment are:

Height of upper level = 2

Upper impact abrasion resistance level = 1

Upper impact cut resistance level = 2

Transverse rigidity of the whole footwear level = 2

No optional requirements claimed.

3. Test results and test examinations are covered by the following test reports:

Dolomiticert Scarl	231754	17/11/2023
Dolomiticert Scarl	231416	06/10/2023
Dolomiticert Scarl	231415	06/10/2023
Dolomiticert Scarl	230853	21/06/2023
Dolomiticert Scarl	230852	21/06/2023
Dolomiticert Scarl	211000	01/07/2021
Dolomiticert Scarl	210999	02/07/2021
Dolomiticert Scarl	210023	01/02/2021
Dolomiticert Scarl	190852	12/06/2019
Certottica Scrl	235205	22/09/2023
Certottica Scrl	235204	22/09/2023
Certottica Scrl	233210	09/06/2023
Certottica Scrl	213876	22/06/2021
Certottica Scrl	210060	21/01/2021

Pag. 3 of 4

EN 13634:2017

2122

A Marking | Form |

Road, Durbanville, Cape Town, South Africa 7550

MADE IN BANGLADESH

LEATT.COM

PO216635 - M06 - 2022 B)

Placement of the marking: Two labels stitched in the visible part of the lining.

i (i

5. Declaration for category III personal protective equipment

For category III PPE, this EU Type-Examination Certificate shall be used only in combination with one of the evaluation procedures in accordance with Article 19, letter c), of the Regulation (EU) 2016/425

Applicability for the product covered by this EU Type-Examination Certificate:

NO

Terms and conditions under which the Certificate is issued

- a) Marking and instructions were examined in English. Language versions other than the one specified above are under the complete responsibility of the Manufacturer or of his Authorised Representative.
- b) Any variation to the product, to the technical file or, in the provided cases, to the manual or to the quality control procedures, shall be notified in time to DOLOMITICERT.
- c) The Manufacturer or his Authorised Representative shall respect the procedures and the regulations provided by DOLOMITICERT for the EU Certification.
- d) Copies of this Certificate, supplied to third parties, shall be reproduced in their entirety.
- e) The present Certificate shall be carefully kept by the Manufacturer to be shown, on request, to the Organism of control or to the Vigilance Administration.
- f) The present Certificate remains property of DOLOMITICERT, which can ask for it back if some of the above mentioned conditions are not respected.
- g) Any subsequent revision of the present document automatically deletes and replaces it.
- h) The present document can include only a limited description of the product under certification; for a more detailed description, please refer to the correspondent Technical Documentation.

Pag. 4 of 4